

阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

PART INFORMATION

Mfg Item Number	MPC8349ECVVAJDB
Mfg Item Name	TBGA 672 35*35*1.5P1.0

SUPPLIER

Company Name	Freescale Semiconductor Inc
Company Unique ID	14-141-7928
Response Date	2017-11-06
Response Document ID	5215K11016D011A1.36
Contact Name	Freescale Semiconductor Inc
Contact Title	Product Technical Support
Contact Phone	1-800-521-6274
Contact Email	support@freescale.com
Authorized Representative	Daniel Binyon
Representative Title	EPP Customer Response
Representative Phone	512-895-3406
Representative Email	eppanlst@freescale.com
URL for Additional Information	www.freescale.com

DECLARATION

EU RoHS	Yes
Pb Free	Yes
HalogenFree	Yes
Plating Indicator	e2
EU RoHS Exemption(s)	

MANUFACTURING

Mfg Item Number	MPC8349ECVVAJDB
Mfg Item Name	TBGA 672 35*35*1.5P1.0
Version	ALL
Weight	9.442800
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	3
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	<p>6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight</p> <p>6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight</p> <p>6(c) : Copper alloy containing up to 4% lead by weight</p> <p>7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)</p> <p>7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications</p> <p>7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound</p> <p>7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher</p> <p>7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC</p> <p>7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors</p> <p>15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages</p>



MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Epoxy Die Attach	0.045										
Epoxy Die Attach		Solvents, additives, and other materials	1,3,5-Triazine-2,4-diamine, 6-[2-(2-methyl-1H-imidazol-1-yl)ethyl]	38668-46-1		0.0003803	g	8451	0.8451	40	0.004
Epoxy Die Attach		Plastics/polymers	Phenolic Polymer Resin, Epikote 155	9003-95-5		0.00563106	g	129579	12.9579	617	0.0617
Epoxy Die Attach		Plastics/polymers	4,4'-Dihydroxydiphenyl	92-88-6		0.0003803	g	8451	0.8451	40	0.004
Epoxy Die Attach		Metals	Silver, metal	7440-22-4		0.03840634	g	853519	85.3519	4067	0.4067
Bonding Wire	0.0444										
Bonding Wire		Metals	Gold, metal	7440-57-5		0.0444	g	1000000	100	4701	0.4701
Solder Balls - Pb Free, Sn/Ag	0.7422										
Solder Balls - Pb Free, Sn/Ag		Metals	Aluminum, metal	7429-90-5		0.00002375	g	32	0.0032	2	0.0002
Solder Balls - Pb Free, Sn/Ag		Antimony/Arsimony Compounds	Antimony (metallic)	7440-36-0		0.00002078	g	125	0.0125	9	0.0009
Solder Balls - Pb Free, Sn/Ag		Arsenic/Arsenic Compounds	Arsenic	7440-39-2		0.00005567	g	75	0.0075	5	0.0005
Solder Balls - Pb Free, Sn/Ag		Bismuth/Bismuth Compounds	Bismuth	7440-69-9		0.00113953	g	188	0.0188	14	0.0014
Solder Balls - Pb Free, Sn/Ag		Cadmium/Cadmium Compounds	Cadmium	7440-43-9		0.00009965	g	13	0.0013	1	0.0001
Solder Balls - Pb Free, Sn/Ag		Metals	Copper, metal	7440-50-8		0.00004676	g	63	0.0063	4	0.0004
Solder Balls - Pb Free, Sn/Ag		Metals	Gold, metal	7440-57-5		0.00004676	g	63	0.0063	4	0.0004
Solder Balls - Pb Free, Sn/Ag		Metals	Indium, metal	7440-74-6		0.00004676	g	63	0.0063	4	0.0004
Solder Balls - Pb Free, Sn/Ag		Solvents, additives, and other materials	Sulfur	7704-34-9		0.0000052	g	7	0.0007	0	0
Solder Balls - Pb Free, Sn/Ag		Solvents, additives, and other materials	Phosphorus, elemental (not containing red allotrope)	7723-14-0		0.00004676	g	63	0.0063	4	0.0004
Solder Balls - Pb Free, Sn/Ag		Metals	Iron, metal	7439-89-6		0.00008164	g	110	0.011	8	0.0008
Solder Balls - Pb Free, Sn/Ag		Lead/Lead Compounds	Lead	7439-92-1		0.00023231	g	313	0.0313	24	0.0024
Solder Balls - Pb Free, Sn/Ag		Nickel (external applications only)	Nickel	7440-02-0		0.00002375	g	32	0.0032	2	0.0002
Solder Balls - Pb Free, Sn/Ag		Metals	Silver, metal	7440-22-4		0.02597848	g	35002	3.5002	2751	0.2751
Solder Balls - Pb Free, Sn/Ag		Metals	Tin, metal	7440-31-5		0.715361	g	963832	96.3832	75756	7.5756
Solder Balls - Pb Free, Sn/Ag		Metals	Zinc, metal	7440-66-6		0.0000141	g	19	0.0019	1	0.0001
Die Encapsulant, Halogen-free	0.4062										
Die Encapsulant, Halogen-free		Plastics/polymers	Other Epoxy resins	-		0.024372	g	60000	6	2581	0.2581
Die Encapsulant, Halogen-free		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.004062	g	10000	1	430	0.043
Die Encapsulant, Halogen-free		Solvents, additives, and other materials	Other inorganic compounds	-		0.008124	g	20000	2	860	0.086
Die Encapsulant, Halogen-free		Plastics/polymers	Other phenolic resins	-		0.02031	g	50000	5	2150	0.215
Die Encapsulant, Halogen-free		Glass	Silica, vitreous	60676-86-0		0.349332	g	860000	86	36994	3.6994
Organic Substrate	8.175										
Organic Substrate		Solvents, additives, and other materials	Other Aromatic hydrocarbon compounds	-		0.00322095	g	394	0.0394	341	0.0341
Organic Substrate		Metals	Other barium compounds	-		0.0025179	g	308	0.0308	266	0.0266
Organic Substrate		Metals	Copper, metal	7440-50-8		7.36113785	g	900445	90.0445	779572	7.79572
Organic Substrate		Metals	Cupric oxide	1317-39-0		0.21481448	g	26277	2.6277	22749	2.2749
Organic Substrate		Metals	Other copper compounds	-		0.00005723	g	7	0.0007	6	0.0006
Organic Substrate		Metals	Gold, metal	7440-57-5		0.0111398	g	137	0.0137	118	0.0118
Organic Substrate		Solvents, additives, and other materials	Other inorganic compounds	-		0.010137	g	1240	0.124	1073	0.1073
Organic Substrate		Nickel (external applications only)	Nickel	7440-02-0		0.01034955	g	1266	0.1266	1096	0.1096
Organic Substrate		Solvents, additives, and other materials	Other organic compounds	-		0.01283475	g	1570	0.157	1359	0.1359
Organic Substrate		Solvents, additives, and other materials	Other organic Silicon Compounds	-		0.19266023	g	23567	2.3567	20402	2.0402
Organic Substrate		Metals	Zirconium, metal	7440-67-7		0.02845718	g	3481	0.3481	3013	0.3013
Organic Substrate		Plastics/polymers	Proprietary Material-Other acrylic/epoxy resin mixture	-		0.2566623	g	31396	3.1396	27190	2.719
Organic Substrate		Plastics/polymers	Polyethylene terephthalate	25038-59-9		0.0032046	g	392	0.0392	339	0.0339
Organic Substrate		Plastics/polymers	Other non-halogenated polymers	-		0.00724305	g	886	0.0886	767	0.0767
Organic Substrate		Plastics/polymers	Poly[1,1',3,3'-tetrahydro-1,1',3,3'-tetraoxo[5,5'-bi-2H-isindole]2,2'-diyl]-1,4-phenylene]	32197-39-0		0.0758295	g	8634	0.8634	7474	0.7474
Silicon Semiconductor Die	0.03										
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0006	g	20000	2	63	0.0063
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.0294	g	960000	98	3113	0.3113



LINKS

MCD LINK	
NXP website	http://www.nxp.com
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf
China RoHS	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY
REACH signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf
ELV signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf
Conflict Minerals statement	http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX
FAQ	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ
Technical Service Request	http://www.nxp.com/support/sales-and-support:SUPPORTHOME
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf