

阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

PART INFORMATION

| | |
|-----------------|--------------------------|
| Mfg Item Number | MCZ33784EF |
| Mfg Item Name | SOIC16 3.9*9.9*1.75P1.27 |

SUPPLIER

| | |
|--------------------------------|-----------------------------|
| Company Name | Freescale Semiconductor Inc |
| Company Unique ID | 14-141-7928 |
| Response Date | 2016-12-19 |
| Response Document ID | 0097A1.10 |
| Contact Name | Freescale Semiconductor Inc |
| Contact Title | Product Technical Support |
| Contact Phone | 1-800-521-6274 |
| Contact Email | support@freescale.com |
| Authorized Representative | Daniel Binyon |
| Representative Title | EPP Customer Response |
| Representative Phone | 512-895-3406 |
| Representative Email | eppanlst@freescale.com |
| URL for Additional Information | www.freescale.com |

DECLARATION

| | |
|----------------------|-----|
| EU RoHS | Yes |
| Pb Free | Yes |
| HalogenFree | Yes |
| Plating Indicator | e3 |
| EU RoHS Exemption(s) | |

MANUFACTURING

| | |
|------------------------------|--------------------------|
| Mfg Item Number | MCZ33784EF |
| Mfg Item Name | SOIC16 3.9*9.9*1.75P1.27 |
| Version | ALL |
| Weight | 0.144300 |
| UoM | g |
| Unit Volume | EACH |
| J-STD-020 MSL Rating | 3 |
| Peak Processing Temperature | 260 C |
| Max Time at Peak Temperature | 40 seconds |
| Number of Processing Cycles | 3 |

| | |
|---------------------------------------|--|
| RoHS | |
| RoHS Directive | 2011/65/EU |
| RoHS Definition | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium |
| RoHS Legal Definition | Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply. |
| RoHS Declaration | 1 - Item(s) do not contain RoHS restricted substances per the definition above |
| Supplier Acceptance | Accepted |
| Signature | Daniel Binyon |
| Exemption List Version | 2012/51/EU |
| List of Freescale Accepted Exemptions | <p>6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight</p> <p>6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight</p> <p>6(c) : Copper alloy containing up to 4% lead by weight</p> <p>7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)</p> <p>7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications</p> <p>7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound</p> <p>7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher</p> <p>7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC</p> <p>7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors</p> <p>15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages</p> |



MATERIAL COMPOSITION

| Homogeneous Material | Weight | SubstanceClass | Substance | CAS | Exemption | SubstanceWeight | UoM | SubPart PPM | SubPart% | ARTICLEPPM | ARTICLE% |
|-------------------------------|--------|--|---|-------------|-----------|-----------------|-----|-------------|----------|------------|----------|
| Lead Frame Plating | 0.005 | | | | | | g | | | | |
| Lead Frame Plating | | Lead/Lead Compounds | Lead | 7439-92-1 | | 0.000001 | g | 200 | 0.02 | 6 | 0.0006 |
| Lead Frame Plating | | Metals | Tin, metal | 7440-31-5 | | 0.004999 | g | 999800 | 99.98 | 34643 | 3.4643 |
| Copper Lead Frame | 0.0471 | | | | | | g | | | | |
| Copper Lead Frame | | Metals | Copper, metal | 7440-50-8 | | 0.04540227 | g | 963955 | 96.3955 | 314638 | 31.4638 |
| Copper Lead Frame | | Solvents, additives, and other materials | Phosphorus, elemental (not containing red allotrope) | 7723-14-0 | | 0.00033886 | g | 825 | 0.0825 | 269 | 0.0269 |
| Copper Lead Frame | | Metals | Iron, metal | 7439-89-6 | | 0.00110685 | g | 23500 | 2.35 | 7670 | 0.767 |
| Copper Lead Frame | | Lead/Lead Compounds | Lead | 7439-92-1 | | 0.00000801 | g | 170 | 0.017 | 55 | 0.0055 |
| Copper Lead Frame | | Metals | Silver, metal | 7440-22-4 | | 0.000471 | g | 10000 | 1 | 3264 | 0.3264 |
| Copper Lead Frame | | Metals | Tin, metal | 7440-31-5 | | 0.00001413 | g | 300 | 0.03 | 97 | 0.0097 |
| Copper Lead Frame | | Metals | Zinc, metal | 7440-66-6 | | 0.00005888 | g | 1250 | 0.125 | 408 | 0.0408 |
| Epoxy Die Attach | 0.0014 | | | | | | g | | | | |
| Epoxy Die Attach | | Solvents, additives, and other materials | Proprietary Material-Other acrylates | - | | 0.00017486 | g | 124900 | 12.49 | 1211 | 0.1211 |
| Epoxy Die Attach | | Plastics/polymers | Proprietary Material-Other Epoxy resins | - | | 0.00003497 | g | 24980 | 2.498 | 242 | 0.0242 |
| Epoxy Die Attach | | Solvents, additives, and other materials | Other organic Silicon Compounds | - | | 0.00001679 | g | 11990 | 1.199 | 116 | 0.0116 |
| Epoxy Die Attach | | Metals | Silver, metal | 7440-22-4 | | 0.00109224 | g | 780176 | 78.0176 | 7569 | 0.7569 |
| Epoxy Die Attach | | Plastics/polymers | Proprietary Material-acrylonitrile/butadiene copolymer, carboxyl terminated | - | | 0.00008114 | g | 57954 | 5.7954 | 562 | 0.0562 |
| Bonding Wire, Copper | 0.0002 | | | | | | g | | | | |
| Bonding Wire, Copper | | Metals | Copper, metal | 7440-50-8 | | 0.000194 | g | 970000 | 97 | 1344 | 0.1344 |
| Bonding Wire, Copper | | Solvents, additives, and other materials | Other miscellaneous substances (less than 5%) | - | | 0.000006 | g | 30000 | 3 | 41 | 0.0041 |
| Die Encapsulant, Halogen-free | 0.0873 | | | | | | g | | | | |
| Die Encapsulant, Halogen-free | | Plastics/polymers | Epoxy resin, EPON Resin 8091 | 25928-94-3 | | 0.004365 | g | 50000 | 5 | 30249 | 3.0249 |
| Die Encapsulant, Halogen-free | | Solvents, additives, and other materials | Carbon Black | 1333-86-4 | | 0.0004365 | g | 5000 | 0.5 | 3024 | 0.3024 |
| Die Encapsulant, Halogen-free | | Solvents, additives, and other materials | Silicone modified epoxy resin | 218163-11-2 | | 0.004365 | g | 50000 | 5 | 30249 | 3.0249 |
| Die Encapsulant, Halogen-free | | Plastics/polymers | Phenolic Resin | 125133-38-2 | | 0.004365 | g | 50000 | 5 | 30249 | 3.0249 |
| Die Encapsulant, Halogen-free | | Glass | Silicon dioxide | 7631-86-9 | | 0.0082935 | g | 95000 | 9.5 | 57474 | 5.7474 |
| Die Encapsulant, Halogen-free | | Glass | Silica, vitreous | 60676-86-0 | | 0.065475 | g | 750000 | 75 | 453752 | 45.3752 |
| Silicon Semiconductor Die | 0.0033 | | | | | | g | | | | |
| Silicon Semiconductor Die | | Solvents, additives, and other materials | Other miscellaneous substances (less than 5%) | - | | 0.000066 | g | 20000 | 2 | 457 | 0.0457 |
| Silicon Semiconductor Die | | Glass | Silicon, doped | - | | 0.003234 | g | 980000 | 98 | 22411 | 2.2411 |



LINKS

| | |
|--|---|
| MCD LINK | |
| NXP website | http://www.nxp.com |
| GENERAL ENVIRONMENTAL COMPLIANCE LINKS | |
| RoHS signed letter | http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf |
| China RoHS | http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY |
| REACH signed letter | http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf |
| ELV signed letter | http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf |
| Conflict Minerals statement | http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf |
| NXP ENVIRONMENTAL INFORMATION | |
| Environmental Compliance website | http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX |
| FAQ | http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ |
| Technical Service Request | http://www.nxp.com/support/sales-and-support:SUPPORTHOME |
| LINKS TO BLANK IPC1752 FORMS | |
| Blank IPC1752 v1.1 Form | http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf |

