阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网,版权归原作者所有。如读者和版权方有任何异议请及时告之,我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译,其目的是协助用户阅读,该译文无法自动跟随原稿更新,同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料,来自厂商的技术支持或者使用者的心得体会等,其内容可能存在描 叙上的差异,建议读者做出适当判断。
- 4.如需与我们联系,请发邮件到marketing@iczoom.com,主题请标有"数据手册"字样。

Read Statement

- 1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
- 2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
- 3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
- 4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets".

Representative Email

URL for Additional Information

 PART INFORMATION

 Mfg Item Number
 MC68360AI25L

 Mfg Item Name
 FQFP 240 32*32*3.4P0.5

SUPPLIER Freescale Semiconductor Inc Company Name Company Unique ID 14-141-7928 Response Date 2016-07-06 Response Document ID 8302K50008S308A1.13 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com **Authorized Representative** Daniel Binyon Representative Title **EPP Customer Response** Representative Phone 512-895-3406

DECLARATION

EU RoHS
Pb Free
Yes
HalogenFree
Plating Indicator
EU RoHS Exemption(s)

eppanlst@freescale.com

www.freescale.com

MANUFACTURING Mfg Item Number MC68360AI25L Mfg Item Name FQFP 240 32*32*3.4P0.5 Version ALL Weight 7.349900 UoM Unit Volume EACH J-STD-020 MSL Rating 3 Peak Processing Temperature 260 C Max Time at Peak Temperature 40 seconds Number of Processing Cycles



RoHS							
RoHS Directive	2011/65/EU						
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium						
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Su						
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above						
Supplier Acceptance	Accepted						
Signature	Daniel Binyon						
Exemption List Version	2012/51/EU						
List of Freescale Accepted Exemptions	6(a): Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight						
	6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight						
	6(c): Copper alloy containing up to 4% lead by weight						
	7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)						
	7(b): Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications						
	7(c)-I: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound						
	7(c)-II: Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher						
	7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC						
	7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors						
	15: Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages						



Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Epoxy Die Attach	0.0106						g				
Epoxy Die Attach		Plastics/polymers	2,2'-[methylenebis(phenyleneoxymethylene)]bisoxirane	39817-09-9		0.0005579	g	52632	5.2632	75	0.0075
Epoxy Die Attach		Plastics/polymers	Phenolic Polymer Resin, Epikote 155	9003-36-5		0.0005579	g	52632	5.2632	75	0.0075
Epoxy Die Attach		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.0005579	g	52632	5.2632	75	0.0075
Epoxy Die Attach		Metals	Silver, metal	7440-22-4		0.0078105	g	736840	73.684	1062	0.1062
Epoxy Die Attach		Solvents, additives, and other materials	Succinic anhydride, (tetrapropenyl)-	26544-38-7		0.0005579	g	52632	5.2632	75	0.0075
Epoxy Die Attach		Plastics/polymers	Oxirane, 2-dodecyl-	3234-28-4		0.0005579	g	52632	5.2632	75	0.0075
Die Encapsulant	6.33395						g				
Die Encapsulant		Arsenic/Arsenic Compounds	Arsenic	7440-38-2		0.00004434	g	7	0.0007	6	0.0006
Die Encapsulant		Cadmium/Cadmium Compounds	Cadmium	7440-43-9		0.00000633	g	1	0.0001	0	0
Die Encapsulant		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.20193266	g	31881	3.1881	27474	2.7474
Die Encapsulant		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.02019263	g	3188	0.3188	2747	0.2747
Die Encapsulant		Lead/Lead Compounds	Lead	7439-92-1		0.00010768	g	17	0.0017	14	0.0014
Die Encapsulant		Solvents, additives, and other materials	Other organic phosphorous compounds	-		0.02019263	g	3188	0.3188	2747	0.2747
Die Encapsulant		Plastics/polymers	Proprietary Material-Other phenolic resins	-		0.37020038	g	58447	5.8447	50368	5.0368
Die Encapsulant		Glass	Silica, vitreous	60676-86-0		5.72127335	g	903271	90.3271	778429	77.8429
Bonding Wire	0.0173						g				
Bonding Wire		Metals	Gold, metal	7440-57-5		0.0173	g	1000000	100	2353	0.2353
Silicon Semiconductor Die	0.09365						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.001873	g	20000	2	254	0.0254
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.091777	g	980000	98	12486	1.2486
Lead Frame Plating	0.0603						g				
Lead Frame Plating		Lead/Lead Compounds	Lead	7439-92-1		0.00001206	g	200	0.02	1	0.0001
Lead Frame Plating		Metals	Tin, metal	7440-31-5		0.06028794	g	999800	99.98	8202	0.8202
Copper Lead Frame	0.8341						g				
Copper Lead Frame		Metals	Chromium, metal	7440-47-3		0.00229294	g	2749	0.2749	311	0.0311
Copper Lead Frame		Metals	Copper, metal	7440-50-8		0.82038239	g	983554	98.3554	111618	11.1618
Copper Lead Frame		Metals	Silver, metal	7440-22-4		0.00833933	g	9998	0.9998	1134	0.1134
Copper Lead Frame		Metals	Tin, metal	7440-31-5		0.00208442	g	2499	0.2499	283	0.0283
Copper Lead Frame		Metals	Zinc, metal	7440-66-6		0.00100092	g	1200	0.12	136	0.0136



LINKS MCD LINK http://www.nxp.com NXP website GENERAL ENVIRONMENTAL COMPLIANCE LINKS RoHS signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf China RoHS http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY REACH signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf ELV signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf Conflict Minerals statement NXP ENVIRONMENTAL INFORMATION Environmental Compliance website http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX FAQ http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ Technical Service Request http://www.nxp.com/support/sales-and-support:SUPPORTHOME LINKS TO BLANK IPC1752 FORMS Blank IPC1752 v1.1 Form http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

